

Informacje o Produkcje

Typ: podkład

Produkt: ANTICORROSIVE ISOLATION PRIMER 3:1 - INTER TROTON

Kolor: szary

Utwardzacz: standard

		ml	g	ml	g	ml	g	ml	g
Podkład		100.00	141.80	200.00	283.60	300.00	425.40	400.00	567.20
Utwardzacz:		33.30	32.30	66.60	64.60	99.90	96.90	133.20	129.20
Suma mieszanki		133.30	174.10	266.60	348.20	399.90	522.30	533.20	696.40
Rozcieńczalnik min.	20%	26.70	23.40	53.40	46.80	80.10	70.20	106.80	93.60
Suma mieszanki		160.00	197.50	320.00	395.00	480.00	592.50	640.00	790.00
Rozcieńczalnik maks.	35%	46.70	41.00	93.40	82.00	140.10	123.00	186.80	164.00
Suma mieszanki		180.00	215.10	360.00	430.20	540.00	645.30	720.00	860.40

		ml	g	ml	g	ml	g	ml	g
Podkład		700.00	992.60	800.00	1134.40	900.00	1276.20	1000.00	1418.00
Utwardzacz:		233.10	226.10	266.40	258.40	299.70	290.70	333.00	323.00
Suma mieszanki		933.10	1218.70	1066.40	1392.80	1199.70	1566.90	1333.00	1741.00
Rozcieńczalnik min.	20%	186.90	163.80	213.60	187.20	240.30	210.60	267.00	234.00
Suma mieszanki		1120.00	1382.50	1280.00	1580.00	1440.00	1777.50	1600.00	1975.00
Rozcieńczalnik maks.	35%	326.90	287.00	373.60	328.00	420.30	369.00	467.00	410.00
Suma mieszanki		1260.00	1505.70	1440.00	1720.80	1620.00	1935.90	1800.00	2151.00